

Henvisninger til dokumentasjon piezokirurgi knyttet implantatkirurgi

Cytokines and Growth Factors Involved in the Osseointegration of Oral Titanium Implants Positioned using Piezoelectric Bone Surgery Versus a Drill Technique: A Pilot Study in Minipigs. Preti G, Martinasso G, Peirone B, Navone R, Manzella C, Muzio G, Russo C, Canuto RA, Schierano G., J Periodontol. 2007; 78(4):716-722. 58

Rebaudi, Federico & Barberis, Fabrizio & Sammartino, Gilberto & Marenzi, Gaetano. (2020). Peri-Implant Bone Damage Procured by Piezoelectric and Conventional Implant Site Preparation: An In Vitro Comparison. Applied Sciences. 10. 8909. 10.3390/app10248909

Arakji H, Osman E, Aboelsaad N, Shokry M. Evaluation of implant site preparation with piezosurgery versus conventional drills in terms of operation time, implant stability and bone density (randomized controlled clinical trial- split mouth design). BMC Oral Health. 2022 Dec 3;22(1):567. doi: 10.1186/s12903-022-02613-4. PMID: 36463145; PMCID: PMC9719637.

Soheilifar S, Bidgoli M, Houshyar E, Farhadian M, Ghamari A. Comparing the effect of preparation of the implant sites with piezosurgery and conventional drilling on the stability of implants at 5-months follow-up. J Long Term Eff Med Implants. 2018;28(1):1-8. doi: 10.1615/JLongTermEffMedImplants.2018020398. PMID: 29772986.

Ultrasonic implant site preparation using piezosurgery: a multicenter case series study analyzing 3,579 implants with a 1- to 3-year follow-up. Vercellotti T, Stacchi C, Russo C, Rebaudi A, Vincenzi G, Pratella U, Baldi D, Mozzati M, Monagheddu C, Sentineri R, Cuneo T, Di Alberti L, Carossa S, Schierano G., Int J Periodontics Restorative Dent. 2014 Jan-Feb;34(1):11-8. 52

Identification of possible factors influencing temperatures elevation during implant site preparation with piezoelectric technique. Lamazza L, Laurito D, Lollobrigida M, Brugnoletti O, Garreffa G, De Biase A., Annali di Stomatologia 2014; V (4): 115-122. 53

Identification of possible factors influencing temperatures elevation during implant site preparation with piezoelectric technique. Lamazza L, Laurito D, Lollobrigida M, Brugnoletti O, Garreffa G, De Biase A., Annali di Stomatologia 2014; V (4): 115-122. 53

